

BUTTERFLY VALVE - WAFER | EPDM

CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	EPDM
Connection:	TE ANSI 150 PN16
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 110°C
Actuation:	Lever Operated



Part Number	Product Size
350-050	2" (50mm)
350-065	2½" (65mm)
350-080	3" (80mm)
350-100	4" (100mm)
350-125	5" (125mm)
350-150	6" (150mm)
350-200	8" (200mm)
350-250	10" (250mm)
350-300	12" (300mm)

* Also Available in NBR, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - WAFER | NBR

CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	NBR
Connection:	TE ANSI 150 PN16
Disc & Stem:	CF8M
Suitable Temperature:	-10°C - 80°C
Actuation:	Lever Operated



Part Number	Product Size
350-NBR-050	2" (50mm)
350-NBR-065	2½" (65mm)
350-NBR-080	3" (80mm)
350-NBR-100	4" (100mm)
350-NBR-125	5" (125mm)
350-NBR-150	6" (150mm)
350-NBR-200	8" (200mm)
350-NBR-250	10" (250mm)
350-NBR-300	12" (300mm)

* Also Available in EPDM, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - WAFER | TEFLON (PTFE)

CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	PFTE
Connection:	TE
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 120°C
Actuation:	Lever Operated



Part Number	Product Size
350-T-050	2" (50mm)
350-T-065	2½" (65mm)
350-T-080	3" (80mm)
350-T-100	4" (100mm)
350-T-125	5" (125mm)
350-T-150	6" (150mm)
350-T-200	8" (200mm)
350-T-250	10" (250mm)

* Also Available in EPDM, NBR & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - WAFER | VITON

CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	Viton
Connection:	TE
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 160°C
Actuation:	Lever Operated



Part Number	Product Size
350-V-050	2" (50mm)
350-V-065	2½" (65mm)
350-V-080	3" (80mm)
350-V-100	4" (100mm)
350-V-125	5" (125mm)
350-V-150	6" (150mm)
350-V-200	8" (200mm)
350-V-250	10" (250mm)
350-V-300	12" (300mm)

* Also Available in EPDM, NBR & Teflon Seats & Stainless Steel Body

BUTTERFLY VALVE - WAFER | TEFLON (PTFE)

STAINLESS STEEL

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	ASTM A351 CF8M
Seat:	PTFE
Connection:	TE
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 120°C
Actuation:	Lever Operated



Part Number	Product Size
350-SST-050	2" (50mm)
350-SST-065	2½" (65mm)
350-SST-080	3" (80mm)
350-SST-100	4" (100mm)
350-SST-125	5" (125mm)
350-SST-150	6" (150mm)
350-SST-200	8" (200mm)
350-SST-250	10" (250mm)
350-SST-300	12" (300mm)

BUTTERFLY VALVE - WAFER | NBR

STAINLESS STEEL

PRODUCT INFORMATION

Body Material:	ASTM A351 CF8M
Seat:	PTFE
Connection:	TE
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 120°C
Actuation:	Lever Operated



Part Number	Product Size
350-SS-050	2" (50mm)
350-SS-065	2½" (65mm)
350-SS-080	3" (80mm)
350-SS-100	4" (100mm)
350-SS-125	5" (125mm)
350-SS-150	6" (150mm)
350-SS-200	8" (200mm)
350-SS-250	10" (250mm)
350-SS-300	12" (300mm)

BUTTERFLY VALVE - WAFER | GEAR OPERATED EPDM CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	EPDM
Connection:	TE ANSI 150 PN16
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 110°C
Actuation:	Gear Operated



Part Number	Product Size
350-GO-050	2" (50mm)
350-GO-065	2½" (65mm)
350-GO-080	3" (80mm)
350-GO-100	4" (100mm)
350-GO-125	5" (125mm)
350-GO-150	6" (150mm)
350-GO-200	8" (200mm)
350-GO-250	10" (250mm)
350-GO-300	12" (300mm)
350-GO-350	14" (350mm)
350-GO-400	16" (400mm)
350-GO-450	18" (450mm)
350-GO-500	20" (500mm)
350-GO-600	24" (600mm)

* Also Available in NBR, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - WAFER | GEAR OPERATED NBR CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	NBR
Connection:	TE ANSI 150 PN16
Disc & Stem:	CF8M
Suitable Temperature:	-10°C - 80°C
Actuation:	Gear Operated



Part Number	Product Size
350-GO-N-050	2" (50mm)
350-GO-N-065	2½" (65mm)
350-GO-N-080	3" (80mm)
350-GO-N-100	4" (100mm)
350-GO-N-125	5" (125mm)
350-GO-N-150	6" (150mm)
350-GO-N-200	8" (200mm)
350-GO-N-250	10" (250mm)
350-GO-N-300	12" (300mm)
350-GO-N-350	14" (350mm)
350-GO-N-400	16" (400mm)
350-GO-N-450	18" (450mm)
350-GO-N-500	20" (500mm)
350-GO-N-600	24" (600mm)

* Also Available in EPDM, Teflon & Viton Seats & Stainless Steel Body

CAST IRON GEARBOX

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Operator Type:	Gear Operated



Part Number	Product Size
350-GB-050	2" (50mm)
350-GB-065	2½" (65mm)
350-GB-080	3" (80mm)
350-GB-100	4" (100mm)
350-GB-125	5" (125mm)
350-GB-150	6" (150mm)
350-GB-200	8" (200mm)
350-GB-250	10" (250mm)
350-GB-300	12" (300mm)

BUTTERFLY VALVE - LUGGED EPDM | TE

CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	EPDM
Connection:	TE
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 110°C
Actuation:	Lever Operated



Part Number	Product Size
353-050	2" (50mm)
353-065	2½" (65mm)
353-080	3" (80mm)
353-100	4" (100mm)
353-125	5" (125mm)
353-150	6" (150mm)
353-200	8" (200mm)
353-250	10" (250mm)
353-300	12" (300mm)

* Also Available in NBR, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - LUGGED NBR | TE

CAST IRON

PRODUCT INFORMATION

Brand Name:	Arita
Body Material:	Cast Iron
Seat:	NBR
Connection:	TE
Disc & Stem:	CF8M
Suitable Temperature:	-10°C - 80°C
Actuation:	Lever Operated



Part Number	Product Size
353-NBR-050	2" (50mm)
353-NBR-065	2½" (65mm)
353-NBR-080	3" (80mm)
353-NBR-100	4" (100mm)
353-NBR-125	5" (125mm)
353-NBR-150	6" (150mm)
353-NBR-200	8" (200mm)
353-NBR-250	10" (250mm)
353-NBR-300	12" (300mm)

* Also Available in EPDM, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - LUGGED EPDM | ANSI 150

CAST IRON

PRODUCT INFORMATION

Body Material:	Cast Iron
Seat:	EPDM
Connection:	ANSI 150
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 110°C
Actuation:	Lever Operated



Part Number	Product Size
353-A-050	2" (50mm)
353-A-065	2½" (65mm)
353-A-080	3" (80mm)
353-A-100	4" (100mm)
353-A-125	5" (125mm)
353-A-150	6" (150mm)
353-A-200	8" (200mm)
353-A-250	10" (250mm)
353-A-300	12" (300mm)

* Also Available in NBR, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - LUGGED NBR | JIS 5K

CAST IRON

PRODUCT INFORMATION

Body Material:	Cast Iron
Seat:	NBR
Connection:	JIS 5K
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 110°C
Actuation:	Lever Operated



Part Number	Product Size
353-5K-050	2" (50mm)
353-5K-065	2½" (65mm)
353-5K-080	3" (80mm)
353-5K-100	4" (100mm)
353-5K-125	5" (125mm)
353-5K-150	6" (150mm)
353-5K-200	8" (200mm)
353-5K-250	10" (250mm)
353-5K-300	12" (300mm)

* Also Available in EPDM, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE - LUGGED NBR | JIS 10K

CAST IRON

PRODUCT INFORMATION

Body Material:	Cast Iron
Seat:	NBR
Connection:	JIS 10K
Disc & Stem:	CF8M
Suitable Temperature:	-20°C - 110°C
Actuation:	Lever Operated



Part Number	Product Size
353-10K-050	2" (50mm)
353-10K-065	2½" (65mm)
353-10K-080	3" (80mm)
353-10K-100	4" (100mm)
353-10K-125	5" (125mm)
353-10K-150	6" (150mm)
353-10K-200	8" (200mm)
353-10K-250	10" (250mm)
353-10K-300	12" (300mm)

* Also Available in EPDM, Teflon & Viton Seats & Stainless Steel Body

BUTTERFLY VALVE



BUTTERFLY VALVE - TOMOE WAFER EPDM

ALUMINIUM



TOMOE EPDM	Nominal size		Dimensions (mm)									Approx Wgt (kg)
	mm	inch	Φd	ΦD	L	H1	H2	H3	Q	K	W	
354-040	40	1½	45	80	35	47	144	56	72	49	160	0.8
354-050	50	2	56	91	43	57	150	56	72	49	160	0.9
354-065	65	2½	69	111	46	64	163	56	72	49	160	1.1
354-080	80	3	84	125	46	77	151	56	72	49	160	1.4
354-100	100	4	104	147	52	94	162	70	72	49	200	1.9
354-125	125	5	130	180	56	108	190	70	72	49	200	3
354-150	150	6	153.5	210	56	125	201	96	88	63	300	5
354-200	-	-	-	-	-	-	-	-	-	-	-	-

[CLICK HERE TO DOWNLOAD THE FULL TOMOE 700Z SPECIFICATION BROCHURE](#)

BUTTERFLY VALVE - TOMOE WAFER NBR

ALUMINIUM



TOMOE NBR	Nominal size		Dimensions (mm)									Approx Wgt (kg)
	mm	inch	Φd	ΦD	L	H1	H2	H3	Q	K	W	
354-N-040	40	1½	45	80	35	47	144	56	72	49	160	0.8
354-N-050	50	2	56	91	43	57	150	56	72	49	160	0.9
354-N-065	65	2½	69	111	46	64	163	56	72	49	160	1.1
354-N-080	80	3	84	125	46	77	151	56	72	49	160	1.4
354-N-100	100	4	104	147	52	94	162	70	72	49	200	1.9
354-N-125	125	5	130	180	56	108	190	70	72	49	200	3
354-N-150	150	6	153.5	210	56	125	201	96	88	63	300	5
354-N-200	-	-	-	-	-	-	-	-	-	-	-	-

[CLICK HERE TO DOWNLOAD THE FULL TOMOE 700Z SPECIFICATION BROCHURE](#)